



# JESON PRODUCT



Fresh  
Your Life



Profession Vacuum Cleaners

Dust Extractor

Direct Electric Random Orbital Sanders

Wet & Dry Vacuum Cleaner

Industrial Vacuum Cleaner

Centralized Dust Removal Systems

Pneumatic Vacuum Cleaner



<https://jeson.com.tw>




Defender of  
the earth environment




Kae Dih is offering different ranges of products that can fit in different customer need for both professional and domestic users. we are really confident with our quality of good with durable design in the global market.





Service  
Quality  
Professional



## Company Profile

Kae Dih Enterprise Co., Ltd. established in 1983, has been devoted to industrial vacuums right from the beginning. We were pioneers in the manufacturing of industrial cleaners. We've researched and developed a wide variety of professional vacuum cleaners to fit our broad spectrum of clients in all fields. In addition to general vacuum cleaners, we also create customized cleaners for each of our customer's unique needs in order to satisfy any demand and meet all ecological requirements.

KAE- DIH upholds the spirit of pursuing excellence and innovation. We seek breakthrough techniques to produce better products and actively expand the development of related manufacturing methods and products. We've cultivated our own manufacturing technique to stay ahead of the competition by continually researching and developing products and accumulating experience from years of manufacturing technical skill. We've made enduring stainless steel products through our efficient and innovative factory design to provide better service to customers.



## Commercial / Household Series

We have successively located stainless steel products designing & forming factory and motor factory striving for the most perfect and higher quality service. We also passed ISO 9001 certification. We are persistently committed to the business policy of high quality and good service to our customers, also the R&D of new item and quality improvement. The more the customer is satisfied with, the more Kae Dih is accessing aim of Perfection.





# Contents

## Direct Electric Random Orbital Sanders: 01 (With Brushless Motor)

Direct Electric Random Orbital Sanders (SHA.SLA.SHB.SLB.series)	02
Electric Random Orbital Sanders (SF56. SF55. SF36)	03
Direct Electric Random Orbital Sanders Accessory List	

## Profession Vacuum Cleaners: 04 (Dust Extractor)

JS5238CEA. JS5238EA	05
JS5738CEAV. JS5738EAV. JS5838CEAV. JS5838EAV	06
MULTIPURPOSE TOOL RACK SET	07
JS3016EA. JS3018EA. JS3018CEA. JS3024EA. JS3024CEA.	08
JS3040EA. JS3040CEA	
JS126C. JS123C	09
JS124C. JS125C	10
JS3048T. JS2948T	11
JS3024TIC. JS3040TIC. JS3048TIC. JS2948TIC	12
JS220C. JS225C	13
Profession Vacuum Cleaners Accessory List	14-15

## Wet & Dry Vacuum Cleaners: 16

JS206P. JS203. JS207	17
JS101. JS106	18
JS150. JS151. JS220	19

## Industrial Vacuum Cleaners: 20 (With Brushless Motor)

JS12SBL. JS15DBL. BRUSHLESS MOTOR	21
JS154. JS654	22

## Pneumatic Vacuum Cleaners: 23

P200A	23
Vacuum Cleaners Accessory	24-25

## Centralized Dust Removal Systems: 26

JS1000	27
JS654PCB. JS354PCB. JS354CCB.	28-29
WORKING ARM	29
HANGING WORKSTATION. WORKING STATION	30
COMPACT WORKING STATION. CABINET WORKSTATION	31





# Direct Electric Random Orbital Sanders



\*We reserve the right to make changes of product specifications and appearance without prior notice.

CE · CE certified.

# Direct Electric Random Orbital Sanders

- JESON's Direct Electric Random Orbital Sander is a new upgrade developed professional sander.
- This sander is lightweight and compact, easy to use. The brushless DC motor offers efficient, reliable power and also energy saving at the same time.
- This sander is equipped with convenient detailed adjustable speed function, and also Intelligent Load Detection System. Intelligent Load Detection System will detect loading situation of motor while using and adjust speed and torque anytime.
- This optimized ergonomic and low profile design enable comfortable grip and stay close to all kind of surfaces, helps maintain easy and highly efficient sanding performance for long time using. In combination with JESON's professional vacuum cleaners offer highly efficient and dust-free sanding performance.



▲ SHA33/SLA33



▲ SHA55/SLA55



▲ SHB56/SLB56

- 01★ PAD
- 02★ Power Cord
- 03★ Wrench
- 04★ Adapter- A Type



SHA56/SLA56▶



Hose Connection O/D: Ø26.5mm I/D: Ø22mm

Model	Sander Type	Voltage (V)	Motor Power (W)	Speed (R.P.M.)	Orbit (mm)	Pad Size (mm)	Weight (kg)	Measurement (mm)
SHA56/SLA56	Central Vacuum	220-240/100-120	350	2000-10000	5.0	150	0.9	251*150*94
SHA86/SLA86	Central Vacuum	220-240/100-120	350	2000-10000	8.0	150	0.9	251*150*94
SHA36/SLA36	Central Vacuum	220-240/100-120	350	2000-10000	2.5	150	0.9	251*150*94
SHA55/SLA55	Central Vacuum	220-240/100-120	350	2000-10000	5.0	125	0.9	238.5*125*94
SHA33/SLA33	Central Vacuum	220-240/100-120	350	2000-10000	2.5	76	0.74	214*76*94
SHB56/SLB56	Non Vacuum	220-240/100-120	350	2000-10000	5.0	150	0.86	251*150*94
SHB86/SLB86	Non Vacuum	220-240/100-120	350	2000-10000	8.0	150	0.86	251*150*94
SHB36/SLB36	Non Vacuum	220-240/100-120	350	2000-10000	2.5	150	0.86	251*150*94
SHB55/SLB55	Non Vacuum	220-240/100-120	350	2000-10000	5.0	125	0.86	238.5*125*94
SHB33/SLB33	Non Vacuum	220-240/100-120	350	2000-10000	2.5	76	0.70	214*76*94



# Electric Random Orbital Sanders

★:Included Accessory  
☆:Optional Accessory

- JESON Electric Random Orbital Sander (Central Vacuum) with a 5.0 & 2.5 orbit, due to it's smaller (150mm & 125mm) backing pad, it's a unique all- round machine that's packed with features.
- It's compact and lightweight, yet the ultra- reliable, quiet 22 volt brushless DC motor with nine speed options .
- The optimized ergonomics make it comfortable to grip and easy to use, while the low center of gravity design. It's also virtually silent in operation, cheap to run, LED display clear to see any message and conveniently located speed controls, easy to maintenance, high- efficiency and smooth central vacuum diversion shroud.

- 01★ PAD  
03★ Wrench  
05★ Dc Power Cord  
06★ Power Supply  
07★ Ac Power Cord  
04☆Adapter- B Type  
08☆Dc Electric Hose

SF56▶



Hose Connection O/D: Ø34mm  
I/D: Ø26mm

CE

Model	Sander Type	Voltage main supply (VAC)	Motor Power (W)	Voltage to sander (VDC)	Speed (R.P.M.)	Orbit (mm)	Pad Size (mm)	Weight (kg)	Measurement (mm)
SF56	Central Vacuum	100-240	350	22V	2000-10000	5.0	150	0.9	243*150*97
SF36	Central Vacuum	100-240	350	22V	2000-10000	2.5	150	0.84	243*150*97
SF55	Central Vacuum	100-240	350	22V	2000-10000	5.0	125	0.87	230.5*125*97

## Accessory :

### 01 PAD



### 02 Power Cord



### 03 Wrench



### 04 Adapter



### 05 Dc Power Cord



### 06 Power Supply



### 07 Ac Power Cord



### 08 Dc Electric Hose





# Professional Vacuum Cleaners (Dust Extractor)

1. Dust extractor, tools triggered synchronize starting machines.
2. Offer a dust-free environment and air- clean quality while working.
3. Enclosed trolley, convenient to place tools. (Special Type)
4. Working with any type of pneumatic and electric tools, tools triggered synchronize starting machines.
5. Enclose a paper bag for micro dust.



\*We reserve the right to make changes of product specifications and appearance without prior notice.

· Suitable range : automobile maintenance plant · woodworking.



# Professional Vacuum Cleaners

## (Dust Extractor)

★:Included Accessory(For Dry type)  
 ☆:Optional Accessory(For Dry type)  
 ●:Included Accessory(For Wet & Dry type)  
 ○:Optional Accessory(For Wet & Dry type)

### ICON DESCRIPTION:



· Vacuum cleaner for dry.



· Vacuum cleaner for wet.(Optional)



· Two start-up controls: manual or automatics.



· The pneumatic tools triggered synchronize starting machines, offer convenient while working.



· The electric tools triggered synchronize starting machines, offer convenient while working.



· Two motors model is very powerfully which can be use up to two persons increase the efficiency.



· Manual filter cleaning system series:

Triggering filter cleaning system manually to improve efficiency of dust extractor performance.



· Manual & auto filter cleaning system series:

There are two options of filter cleaning system: MANU or AUTO.

◆**Manual Filter Cleaning System:** Triggering filter cleaning system manually to improve efficiency of dust extractor performance.

◆**Auto Filter Cleaning System:** Triggering filter cleaning system automatically when sensor detected the low suction, to Improve efficiency of dust extractor performance. It also can be triggered filter cleaning system manually at the same time.



· I.S.S. Intelligent Service System: memorize working time, control speed, signify liquid-level, start by manual or automatic, indicate to replace motor carbons, record after-sales service ...etc. (Optional)



· CE certified.



· Double filtering systems.



· Offer triple filtering systems, enclose high capacity paper bag, clean- up easily.



· Vacuum cleaner's suction can be adjust.

- Could be combined with air filter regulator (including hose hook) to filter dust in hose of Air compressor. (Optional) (on JS5238CEA)
- Could be combined with hose hook to collect hose. (Optional)

## JS5238CEA

Accessory



▲ JS5238CEA



- 03★2 in 1 hose for pneumatic tools-B type
- 12★Filter(square)-A type
- 14★Dust bag-A type
- 03★2 in 1 hose for pneumatic tools-A type\*2pcs
- 05★Accessory kit
- 06★Air quick coupler& Y- join set
- 07★Air filter regulator set
- 20★Hose hook
- 28★Multipurpose tool rack set

\* Please look up the fitting list in page 14~15



## JS5238EA

Accessory



- 04★Hose for electric tools-B type
- 12★Filter(square)-A type
- 14★Dust bag-A type
- 05★Accessory kit
- 20★Hose hook
- 28★Multipurpose tool rack set

\* Please look up the fitting list in page 14~15



# Professional Vacuum Cleaners

(Dust Extractor)

- Could be combined with hose hook to collect hose. (Optional)
- Could be combined with air filter regulator (including hose hook) to filter dust in hose of Air compressor. (Optional) (on JS5738CEAV & JS5838CEAV )
- The vacuum cleaner can also be used for wet&dry pick-up with accessories to increase operating convenience.(Optional)

**JS5738CEAV**



**JS5838CEAV**



▲ JS5838CEAV

Accessory (for dry type)

- 03★2 in 1 hose for pneumatic tools-B type
- 12★Filter (square)-A type
- 14★Dust bag-A type
- 03☆2 in 1 hose for pneumatic tools-A type\*2pcs
- 06☆Air quick coupler& Y- join set
- 07☆Air filter regulator set
- 20☆Hose hook
- 28☆Multipurpose tool rack set



Accessory (for wet type)

- 13●Wet filter
- 05○Accessory kit
- \* Please look up the fitting list in page 14~15

**JS5738EAV**



**JS5838EAV**



Accessory (dry type)

- 04★Hose for electric tools-B type
- 12★Filter(square)-A type
- 14★Dust bag-A type
- 20☆Hose hook
- 28☆Multipurpose tool rack set



Accessory (wet type)

- 13●Wet filter
- 05○Accessory kit
- \* Please look up the fitting list in page 14~15



▲ JS5738EAV

Model	Type	Consumption Power (W)	Max Vacuum (mm H <sub>2</sub> O)	Air Flow (m <sup>3</sup> /min)	Drum Capacity (L)	Drum Material	Weight (kg)	Measurement (mm)
JS5238CEA	DRY	1050~1350	2450	2.9	38	ABS	16.17	790x545x570
JS5238EA	DRY	1050~1350	2450	2.9	38	ABS	15.7	790x545x570
JS5738CEAV	DRY	1050~1350	2450	2.9	38	ABS	16.82	790x545x570
	WET& DRY	1050~1350	2450	2.9	38	ABS	16.92	790x545x570
JS5738EAV	DRY	1050~1350	2450	2.9	38	ABS	16	790x545x570
	WET& DRY	1050~1350	2450	2.9	38	ABS	16.1	790x545x570
JS5838CEAV	DRY	1050~1350	2450	2.9	38	ABS	16.82	790x545x570
	WET& DRY	1050~1350	2450	2.9	38	ABS	16.92	790x545x570
JS5838EAV	DRY	1050~1350	2450	2.9	38	ABS	16	790x545x570
	WET& DRY	1050~1350	2450	2.9	38	ABS	16.1	790x545x570



★:Included Accessory(For Dry type)  
 ☆:Optional Accessory(For Dry type)  
 ●:Included Accessory(For Wet & Dry type)  
 ○:Optional Accessory(For Wet & Dry type)

- Including single hook, multifunction hook and tool hook are able to be placed abrasive paper.
- Let users have complete storage function and tool assistance, thus the operation is more convenient.
- Could combine tray and tool set with vacuum cleaner's function, also the tool set is height adjustable.(Optional)

## MULTIPURPOSE TOOL RACK SET

Measurement(LxWxH)  
 Weight  
 Accessory

545\*235\*590(mm)

7.03kgs

★Tool hook\*1set

★Multipurpose hook\*1set

★Pad hook\*5pcs


☆Compartment Tray (Small)

☆Compartment Tray (Big)

\* Please look up the fitting list in page 15




► Tool hook



► Height Adjustable




► Compartment Tray(Big)(Optional)



► Pad hook



► Compartment Tray (Small)(Optional)



► Tray Design

(Dust Extractor)

- 



CE

\* Please look up the fitting list in page 14~15



Model	JS3018CEA	JS3024CEA	JS3040CEA	JS3018EA	JS3024EA	JS3040EA
Function						
Consumption Power	1100 W			1100 W		
Max Vacuum	2200mm H <sub>2</sub> O			2200mm H <sub>2</sub> O		
Air Flow	2.6 m <sup>3</sup> /min			2.6 m <sup>3</sup> /min		
Drum Capacity	18L	24L	40L	18L	24L	40L
Drum Material	Stainless			Stainless		
Measurement (LxWxH)	380x380x588 (mm)	380x380x700 (mm)	562x500x810 (mm)	380x380x588 (mm)	380x380x700 (mm)	562x500x810 (mm)
Weight	10.16kgs	12kgs	18.16kgs	8.65kgs	11.2kgs	16.1kgs
Accessory	01★Automatic unit for pneumatic tools- single hose use only 03★2 in 1 hose for pneumatic tools-A type 10★Filter(circle)- A type (For JS3040CEA)/ B type (For JS3018CEA.JS3024CEA) 11★Cloth filter- E type(For JS3018CEA.JS3024CEA)/ B type(For JS3040CEA) 14★Dust bag- A type(For JS3040CEA)/ B type(For JS3024CEA)/ C type(For JS3018CEA) 21★Multipurpose hanger- A type(For JS3024CEA)/ B type(For JS3040CEA)			04★Hose for electric tools-A type 10★Filter(circle)- A type (For JS3040EA)/ B type (For JS3018EA.JS3024EA) 11★Cloth filter- E type(For JS3018EA.JS3024EA)/ B type(For JS3040EA) 14★Dust bag- A type(For JS3040EA)/ B type(For JS3024EA)/ C type(For JS3018EA) 21☆Multipurpose hanger- A type(For JS3024EA)/ B type(For JS3040EA)		

## 08 / Professional Vacuum Cleaners



- The large trolley with 7.5" rear wheels, relax and move steadily.
- Enclose the large tool basket, convenient to keep tools you need at hand.
- The hooks are convenient to collect hoses and cords. (Optional)

## JS126C

Consumption Power  
 Max Vacuum  
 Air Flow  
 Drum Capacity  
 Drum Material  
 Measurement(LxWxH)  
 Weight  
 Accessory



1100 W  
 2200mm H<sub>2</sub>O  
 2.6 m<sup>3</sup>/min  
 48L  
 Stainless  
 610x508x890 (mm)  
 22.64kgs  
 02★Automatic unit for pneumatic tools& Y- join set  
 03★2 in 1 hose for pneumatic tools-A type  
 10★Filter(circle)-A type  
 11★Cloth filter-A type  
 22★Basket  
 14☆Dust bag-A type  
 23☆Hose hanger- B type  
 24☆Hose basket-B type

CE

\* Please look up the fitting list in page 14~15



## JS123C

Consumption Power  
 Max Vacuum  
 Air Flow  
 Drum Capacity  
 Drum Material  
 Measurement(LxWxH)  
 Weight  
 Accessory



1100 W  
 2200mm H<sub>2</sub>O  
 2.6 m<sup>3</sup>/min  
 48L  
 Stainless  
 610x508x990 (mm)  
 22.32kgs  
 02★Automatic unit for pneumatic tools& Y- join set  
 03★2 in 1 hose for pneumatic tools-A type  
 10★Filter(circle)-A type  
 11★Cloth filter-A type  
 22★Basket  
 14☆Dust bag-A type  
 23☆Hose hanger- B type

CE

\* Please look up the fitting list in page 14~15



# Professional Vacuum Cleaners

(Dust Extractor)

- The large trolley with 7.5" rear wheels, relax and move steadily.
- Enclose the large tool basket, convenient to keep tools you need at hand.
- The hooks are convenient to collect hoses and cords. (Optional)



## JS124C

Consumption Power  
Max Vacuum  
Air Flow  
Drum Capacity  
Drum Material  
Measurement(LxWxH)  
Weight  
Accessory



1100 W  
2200mm H<sub>2</sub>O  
2.6 m<sup>3</sup>/min  
48L  
Stainless  
610x508x990 (mm)  
20.45kgs  
02★Automatic unit for pneumatic tools& Y- join set  
03★2 in 1 hose for pneumatic tools-A type  
10★Filter(circle)-A type  
11★Cloth filter-A type  
22★Basket  
14★Dust bag-A type  
23★Hose hanger- B type  
24★hose basket-B type



\* Please look up the fitting list in page 14~15



## JS125C

Consumption Power  
Max Vacuum  
Air Flow  
Drum Capacity  
Drum Material  
Measurement(LxWxH)  
Weight  
Accessory



1100 W  
2200mm H<sub>2</sub>O  
2.6 m<sup>3</sup>/min  
48L  
Stainless  
610x508x990 (mm)  
23.03kgs  
02★Automatic unit for pneumatic tools& Y- join set  
03★2 in 1 hose for pneumatic tools-A type  
10★Filter(circle)-A type  
11★Cloth filter-A type  
22★Basket  
14★Dust bag-A type  
23★Hose hanger- B Type  
24★Hose basket-B type



\* Please look up the fitting list in page 14~15



- The large trolley is convenient to keep tools you need at hand.
- The flat tray of trolley, offer conveniences and tools safety while working.
- Be able to work with hook board makes you easier storing small things such as sandpapers.
- Provide hose hook & Tool hook which is special design for hose and tools storage.



## JS3048T

Consumption Power 1100 W  
 Max Vacuum 2200mm H<sub>2</sub>O  
 Air Flow 2.6 m<sup>3</sup>/min  
 Drum Capacity 48L  
 Drum Material Stainless  
 Measurement(LxWxH) 778x550x946 (mm)  
 Weight 35.03kgs  
 Accessory



- 01★Automatic unit for pneumatic tools- single hose use only
- 03★2 in 1 hose for pneumatic tools- A type
- 10★Filter(circle)- A type
- 11★Cloth filter- A type
- 14★Dust bag-A type
- 26★Hook board& single hook
- 27★Tool hook& hose hanger
- 29☆Hose hanger- Y type

\* Please look up the fitting list in page 14~15



## JS2948T

Consumption Power 2200 W  
 Max Vacuum 2200mm H<sub>2</sub>O  
 Air Flow 5.6 m<sup>3</sup>/min  
 Drum Capacity 48L  
 Drum Material Stainless  
 Measurement(LxWxH) 778x550x946 (mm)  
 Weight 42.15kgs  
 Accessory



- 02★Automatic unit for pneumatic tools& Y- join set
- 03★2 in 1 hose for pneumatic tools-A type\*2pcs
- 10★Filter(circle)-A type
- 11★Cloth filter-A type
- 14★Dust bag-A type
- 26★Hook board& single hook
- 27★Tool hook& hose hanger
- 29☆Hose hanger- Y type

\* Please look up the fitting list in page 14~15

# Professional Vacuum Cleaners

## (Dust Extractor)

- Compact & lightweight allow Vacuum cleaner Fast-moving for maximum mobility.
- Equipped with practical storage system for tools, hooks, holder for hose & rack allows user convenient, quick access to machines, accessories like sander paper or pad and hose...etc.
- Include high pressure air gun for simple cleaning purpose. (Optional) .



▲ JS3024TIC



▲ JS3040TIC



▲ JS2948TIC



\* For demonstration only, the actual product does not include parts of the tool.

Model	JS3024TIC	JS3040TIC	JS3048TIC	JS2948TIC
Function				
Consumption Power	1100 W			2200 W
Max Vacuum	2200mm H <sub>2</sub> O			2200mm H <sub>2</sub> O
Air Flow	2.6 m <sup>3</sup> /min			5.6 m <sup>3</sup> /min
Drum Capacity	24L	40L	48L	48L
Drum Material	Stainless			Stainless
Measurement(LxWxH)	562x500x810(mm)	610x508x890(mm)		610x508x890(mm)
Weight	20.2kgs	23kgs	23.3kgs	31kgs
Accessory	01★Automatic unit for pneumatic tools-single hose use only 03★2 in 1 hose for pneumatic tools-A type 10★Filter(circle)-B type (For JS3024TIC)/ A type 11★Cloth filter- E type (For JS3024TIC)/ B type (For JS3040TIC)/ A type (For JS3048TIC) 14★Dust bag-B type (For JS3024TIC)/ A type 25★Pad hook& hose hanger 08★High pressure air gun set			01★Automatic unit for pneumatic tools& Y- join Set 03★2 in 1 hose for pneumatic tools-A type 10★Filter(circle)-A type 11★Cloth filter-A type 14★Dust bag-A type 25★Pad hook& Hose hanger 08★High pressure air gun set

\* Please look up the fitting list in page 14~15



- Enclose the large tool basket, convenient to keep tools you need at hand. (On JS225C)
- The hooks are convenient to collect hoses and cords. (On JS225C)(Optional)




## JS220C

Consumption Power	2200 W
Max Vacuum	2200mm H <sub>2</sub> O
Air Flow	5.6 m <sup>3</sup> /min
Drum Capacity	80L
Drum Material	Stainless
Measurement(LxWxH)	595x575x935 (mm)
Weight	26.56kgs
Accessory	02★ Automatic unit for pneumatic tools& Y-join set 03★ 2 in 1 hose for pneumatic tools- A type*2pcs 10★ Paper filter- A type*2pcs 11★ Cloth filter- C type 14★ Dust bag-A type



\* Please look up the fitting list in page 14~15



## JS225C

Consumption Power	2200 W
Max Vacuum	2200mm H <sub>2</sub> O
Air Flow	5.6 m <sup>3</sup> /min
Drum Capacity	80L
Drum Material	Stainless
Measurement(LxWxH)	595x575x935 (mm)
Weight	31.11kgs
Accessory	02★ Automatic unit for pneumatic tools& Y-join set 03★ 2 in 1 hose for pneumatic tools- A type*2pcs 10★ Filter(circle)-A type 11★ Cloth filter-D type 22★ Basket 14★ Dust bag-A type 23★ Hose hanger-B type



\* Please look up the fitting list in page 14~15



# Professional Vacuum Cleaners

(Dust Extractor)

## Accessory :

### 01 Automatic unit for pneumatic tools -single hose use only

- For 1 hoses.
- Air Intel : 3/8"
- With 2 in 1 Hose for Pneumatic tools-A type



### 02 Automatic unit for pneumatic tools & Y- join set

- For 2 hoses.
- Air Intel : 3/8"
- With 2 in 1 Hose for Pneumatic tools- A type



### 03 2 in 1 hose for pneumatic tools

- Length : 5M
- A Type Adapter I/D:  
★Ø33.4mm/☆Ø26.5mm
- B Type Adapter I/D:  
★Ø33.4mm/☆Ø26.5mm



### 04 Hose for electric tools

- A Type(4M)Adapter I/D:  
★Ø38.80mm
- B Type(5M) Adapter I/D:  
★Ø33.4mm /☆Ø26.5mm)



### 05 Accessory kit

- A. ☆Hose(1.8M)+Curved Pipet
- B. ☆Extension Wands
- C. ☆Master Nozzle
- D. ○Wet Nozzle
- E. ☆Round Nozzle
- F. ☆Crevice Tool



### 06 Air quick coupler& Y- join set

- For 2 hoses
- With 2 in 1 Hose for Pneumatic tools-A type



### 07 Air filter regulator set



- Attached hose hook
- 6kg/cm<sup>2</sup>
- Size: 154.7\*141\*49mm



### 08 High pressure air gun set



- Attached Air input unit+ Fixed Frame\*1set
- PU hose set (black)\*1set
- Air gun\*1pc
- PU hose set (blue)\*1set.

## Accessory (filter):

### 10 Filter (circle)

- ★A Type: Paper Filter  
Size: Ø188\*180mm
- ★B Type: Paper Filter  
Size: Ø188\*110mm
- ☆C Type: HEPA Filter  
Size: Ø188\*180mm



### 11 Cloth filter

- A Type (for JS12/15/3048/2948 series)
- B Type (for JS10/3040 series)
- C Type (for JS220C)
- D Type (for JS225C)
- E Type (for JS3024/18 series)
- F Type (for JS3016EA)



### 12 Filter (square)

- For dry vacuum cleaner.
- ★A Type: Paper Filter
- ☆B Type: Paper Filter (H Dust class)
- Size: 225\*190\*50mm



### 13 Wet filter

- For wet & dry vacuum cleaner.
- Material: PU
- Size: 21.7\*18.2\*4.8mm



### 14 Dust bag

- A Type: 124 Dust bag (830\*350mm)



- B Type: 3024 Dust bag (520\*300mm)



- C Type: 3018 Dust bag (770\*260mm)





## 20 Hose hook



- Material: Iron
- Size: 154.7\*141\*49mm



## 21 Multipurpose hanger



- A Type(for JS3024 series) · Size: L526\*W204.5mm
- B Type(for JS3040 series) · Material : Iron



## 22 Basket



- Material : Iron
- Size:482\*402\*99mm



## 23 Hose hanger- B type



- Material : Iron
- With hose hanger for the basket



## 24 Hose basket



- A Type
- Material : Iron



## 25 Pad hook& hose hanger




- Material : Iron
- For TIC series




## 26 Hook board & pad hook



- Material: Iron
- Size:580\*452\*22mm (for Hook Board)



## 27 Hose hanger& tool hook



- A Type: Tool hook& Hose hanger B type
- B Type: Tool hook& Hose hanger Z type
- Material : Iron



## 28 Multipurpose tool rack set



- \* For demonstration only, the actual product does not include parts of the tool.
- Attached Tool set\*1set & Pad hook\*5pcs & Tool hook\*1pc & Multipurpose hook\*1pc.
- Height adjustable.
- Carton size: 545\*235\*590mm

## 29 Hose hanger Y type



- Material : Iron
- High: 716mm



- Related Accessories(For Tool Rack Set) :

- ☆A.Compartment Tray (Small)
- Size: 165\*167\*22mm

- ☆B.Compartment Tray (Big)
- Size: 364\*170\*32mm

# Wet & Dry Vacuum Cleaners

1. Strong suctions, low noises.
2. Two levels of filtering systems.
3. For wet and dry.
4. Suck dirty oils, iron filings.(Special Type)



\*We reserve the right to make changes of product specifications and appearance without prior notice.

CE · CE certified.

D · Vacuum cleaner for dry.

W · Vacuum cleaner for wet.



# Wet & Dry Vacuum Cleaners

★:Included Accessory  
☆:Optional Accessory



## JS206P

Consumption Power  
Max Vacuum  
Air Flow  
Drum Capacity  
Drum Material  
Measurement(LxWxH)  
Weight  
Accessory



850 W  
1450 mm H<sub>2</sub>O  
2.1 m<sup>3</sup>/min  
16 L  
P.P  
380x380x480 (mm)  
6.3kgs  
A1★Ø32mm Hose Set-B type  
A2★Ø32mm Curved Pipe  
A3★Ø32mm Extension Wands \* 3PCS  
A4★Ø32mm Master Nozzle  
A5★Ø32mm Wet Nozzle  
A6★Ø32mm Crevice Tool  
A7★Ø32mm Round Nozzle  
B2★Cloth Filter-E type  
B1☆Filter(Circle)-B type  
\* Please look up the fitting list in page 24



## JS203

Consumption Power  
Max Vacuum  
Air Flow  
Drum Capacity  
Drum Material  
Measurement(LxWxH)  
Weight  
Accessory



850 W  
1450 mm H<sub>2</sub>O  
2.1 m<sup>3</sup>/min  
18 L  
Stainless  
380x380x480 (mm)  
7.5kgs  
01★Ø32mm Hose Set-A type  
02★Ø32mm Curved Pipe  
03★Ø32mm Extension Wands \* 3PCS  
04★Ø32mm Master Nozzle  
05★Ø32mm Wet Nozzle  
06★Ø32mm Crevice Tool  
07★Ø32mm Round Nozzle  
B2★Cloth Filter-E type  
B1☆Filter(Circle)-B type  
\* Please look up the fitting list in page 24



## JS207

Consumption Power  
Max Vacuum  
Air Flow  
Drum Capacity  
Drum Material  
Measurement(LxWxH)  
Weight  
Accessory



850 W  
1450 mm H<sub>2</sub>O  
2.1 m<sup>3</sup>/min  
28L  
Stainless  
380x380x588 (mm)  
8.3kgs  
A1★Ø32mm Hose Set-A type  
A2★Ø32mm Curved Pipe  
A3★Ø32mm Extension Wands \* 3PCS  
A4★Ø32mm Master Nozzle  
A5★Ø32mm Wet Nozzle  
A6★Ø32mm Crevice Tool  
A7★Ø32mm Round Nozzle  
B2★Cloth Filter-D type  
B1☆Filter(Circle)-B type  
\* Please look up the fitting list in page 24



# Wet & Dry Vacuum Cleaners



## JS101



Consumption Power	1100 W
Max Vacuum	2200 mm H <sub>2</sub> O
Air Flow	2.6 m <sup>3</sup> /min
Drum Capacity	40L
Drum Material	Stainless
Measurement(LxWxH)	562x500x733 (mm)
Weight	19.5kgs
Accessory	C1★Ø38mm Hose C2★Ø38mm L-Pipe C3★Ø38mm Extension Wands * 2PCS C4★Ø38mm Master Nozzle C5★Ø38mm Squeegee Shoe C6★Ø38mm Crevice Tool-A C7★Ø38mm Round Nozzle B1★Filter(Circle)-A type B2★Cloth Filter-B type B3★Dust Bag-A type C8○Ø38mm Hose set (simplified equipped)



- High vacuum removal systems.
- Removable bin.
- Side channel blower.
- Easy and excellent manoeuvrability.
- Designed to increase productivity.
- Suitable range : Factory, car wash workshop.



## JS106



Consumption Power	1100 W
Max Vacuum	2200 mm H <sub>2</sub> O
Air Flow	2.6 m <sup>3</sup> /min
Drum Capacity	40L
Drum Material	Stainless
Measurement(LxWxH)	562x500x733 (mm)
Weight	17.1kgs
Accessory	C1★Ø38mm Hose C2★Ø38mm L-Pipe C3★Ø38mm Extension Wands * 2PCS C4★Ø38mm Master Nozzle C5★Ø38mm Squeegee Shoe C6★Ø38mm Crevice Tool-A C7★Ø38mm Round Nozzle B1★Filter(Circle)-A type B2★Cloth Filter-B type B3★Dust Bag-A type C8○Ø38mm Hose set (simplified equipped)



\* Please look up the fitting list in page 24~25





- High vacuum removal systems.
- Removable bin.
- Side channel blower.
- Easy and excellent manoeuvrability.
- Designed to increase productivity.
- Suck dirty oils, iron filings.(on JS150 or JS151)
- Using oil-collecting accessories:  
151 Y-joint set to collect oil into a 50 gallons drum will be more efficiently while working. (50 gallons drum is not included in 151 Y-joint set) (on JS150)(Optional)
- Suitable range : gas station (on JS150 or JS151), factory, car wash workshop.....



▲ JS150



▲ JS151



▲ JS220



Model	JS150	JS151	JS220
Consumption Power	2200 W		
Max Vacuum	2200mm H <sub>2</sub> O		
Air Flow	5.6 m <sup>3</sup> /min		
Drum Capacity	56L	56Lx2	80L
Drum Material	Stainless	Stainless	Stainless
Measurement (LxWxH)	610x508x990 (mm)	848x530x1030 (mm)	595x575x935 (mm)
Weight	25.57kgs	37kgs	26.5kgs
Accessory	C1★Ø38mm Hose C2★Ø38mm L-Pipe C3★Ø38mm Extension Wands * 2pcs C4★Ø38mm Master Nozzle C5★Ø38mm Squeegee Shoe C6★Ø38mm Crevice Tool-A C7★Ø38mm Round Nozzle B1★Filter(Circle)-A type B2★Cloth Filter-A type B3☆Dust Bag-A type C9○Ø38mm Hose set (simplified equipped) C10☆151 Y-joint set	C1★Ø38mm Hose C2★Ø38mm L-Pipe C3★Ø38mm Extension Wands * 2pcs C4★Ø38mm Master Nozzle C5★Ø38mm Squeegee Shoe C6★Ø38mm Crevice Tool-A C7★Ø38mm Round Nozzle B1★Filter(Circle)-A type B2★Cloth Filter-A type B3☆Dust Bag-A type C9○Ø38mm Hose set (simplified equipped)	C1★Ø38mm Hose C2★Ø38mm L-Pipe C3★Ø38mm Extension Wands * 2pcs C4★Ø38mm Master Nozzle C5★Ø38mm Squeegee Shoe C6★Ø38mm Crevice Tool-A C7★Ø38mm Round Nozzle B1★Filter(Circle)-A type * 2pcs B2★Cloth Filter-C type B4★Seat Packing * 2pcs B3☆Dust Bag-A type C9○Ø38mm Hose set (simplified equipped)



\* Please look up the fitting list in page 24~25

# Industrial Vacuum Cleaners (With Brushless Motor)

- Strong suctions, low noises.
- Two levels of filtering systems.
- Long- term operation.
- Green Product.
- Be able to conserve 20% of energy
- Reducing the carbon emission signif cantly.



\*We reserve the right to make changes of product specifications and appearance without prior notice.



• Vacuum cleaner for dry.



• Vacuum cleaner for wet.



# Industrial Vacuum Cleaners

(With Brushless Motor)

★:Included Accessory  
☆:Optional Accessory  
○:Optional simplified equipped

- Wet & Dry Vacuum Cleaners.
- Green Product
- Be able to conserve 20% of energy
- Reducing the carbon emission signif cantly
- High vacuum removal systems.
- Removable bin.
- Side channel blower.
- Suitable range : Factory,car wash workshop.

## JS12SBL



Consumption Power  
Max Vacuum  
Air Flow  
Drum Capacity  
Drum Material  
Measurement(LxWxH)  
Weight  
Accessory

850 W  
2000mm H<sub>2</sub>O  
2.7 m<sup>3</sup>/min  
48L  
Stainless  
610x508x990 (mm)  
22.5kgs  
C1★Ø38mm Hose  
C2★Ø38mm L-Pipe  
C3★Ø38mm Extension Wands \* 2pcs  
C4★Ø38mm Master Nozzle  
C5★Ø38mm Squeegee Shoe  
C6★Ø38mm Crevice Tool-A  
C7★Ø38mm Round Nozzle  
B1★Filter(Circle)-A type  
B2★Cloth Filter-A type  
B3☆Dust Bag-A type  
C10○Ø38mm Hose set (simplified equipped)  
\* Please look up the fitting list in page 24~25



## BRUSHLESS MOTOR

Voltage  
Consumption Power  
Max Vacuum  
Air Flow

AC 110V/220V  
850 W  
2000mm H<sub>2</sub>O  
2.7 m<sup>3</sup>/min

## JS12DBL



Consumption Power  
Max Vacuum  
Air Flow  
Drum Capacity  
Drum Material  
Measurement(LxWxH)  
Weight  
Accessory

1700 W  
2100mm H<sub>2</sub>O  
4.4 m<sup>3</sup>/min  
48L  
Stainless  
610x508x990 (mm)  
25.5kgs  
C1★Ø38mm Hose  
C2★Ø38mm L-Pipe  
C3★Ø38mm Extension Wands \* 2pcs  
C4★Ø38mm Master Nozzle  
C5★Ø38mm Squeegee Shoe  
C6★Ø38mm Crevice Tool-A  
C7★Ø38mm Round Nozzle  
B1★Filter(Circle)-A type  
B2★Cloth Filter-A type  
B3☆Dust Bag-A type  
C10○Ø38mm Hose set (simplified equipped)  
\* Please look up the fitting list in page 24~25



# Industrial Vacuum Cleaners

(With Brushless Motor)

★:Included Accessory  
☆:Optional Accessory  
○:Optional simplified equipped



- Dry vacuum cleaners.
- High vacuum removal systems.
- Equipped with a manual filter shaker.
- Removable bin.
- Side channel blower.
- Easy and excellent manoeuvrability.
- Designed to increase productivity.
- Long- term operation.
- Suitable range : Factory.



## JS154

Consumption Power  
Max Vacuum  
Air Flow  
Drum Capacity  
Drum Material  
Measurement(LxWxH)  
Weight  
Accessory



**1900 W**  
**2100mm H<sub>2</sub>O**  
**4.2 m<sup>3</sup>/min**  
**56 L**  
**Stainless**  
**830x550x810 (mm)**  
**70kgs**  
**C1★Ø38mm Hose**  
**C2★Ø38mm L-Pipe**  
**C3★Ø38mm Extension Wands \* 2pcs**  
**C4★Ø38mm Master Nozzle**  
**C5★Ø38mm Squeegee Shoe**  
**C6★Ø38mm Crevice Tool-A**  
**C7★Ø38mm Round Nozzle**  
**B1★Filter(Circle)-A type**  
**B2★Cloth Filter-A type**  
**B3☆Dust Bag-A type**  
**C10○Ø38mm Hose set (simplified equipped)**  
\* Please look up the fitting list in page 24~25



## JS654

Consumption Power  
Max Vacuum  
Air Flow  
Drum Capacity  
Drum Material  
Measurement(LxWxH)  
Weight  
Accessory



**4600 W**  
**3300mm H<sub>2</sub>O**  
**6.2 m<sup>3</sup>/min**  
**80 L**  
**Stainless**  
**940x550x1300 (mm)**  
**102kgs**  
**C8★Ø51mm Hose**  
\* Please look up the fitting list in page 25

\* Please look up the fitting list in page 25



# Pneumatic Vacuum Cleaners

- Powerful suctions, long times working.
- For wet and dry.
- Suitable range: Factory.



## P200A

Working pressure range  
Air Consumption Power  
Max Vacuum  
Drum Capacity  
Noise Level  
Drum Material  
Measurement(LxWxH)  
Weight  
Accessory

**D** **W**

100 PSI  
1.5 m³/min  
4200mm H2O  
28 L  
82dB  
Stainless  
380x380x588 (mm)  
6kgs

A1★Ø32mm Hose Set-B type  
A6★Ø32mm Crevice Tool  
B2★Cloth Filter-D type  
A1★Ø32mm Hose Set-A type  
A2★Ø32mm Curved Pipe  
A3★Ø32mm Extension Wands\* 3PCS  
A4★Ø32mm Master Nozzle  
A5★Ø32mm Wet Nozzle  
A7★Ø32mm Round Nozzle  
B1★Filter(Circle)-A type

\*Please look up the fitting list in page 24



\*We reserve the right to make changes of product specifications and appearance without prior notice.



· Vacuum cleaner for dry.



· Vacuum cleaner for wet.

# Vacuum Cleaners Accessory

## A1 Ø32mm Hose Set

- A Type
- B Type
- Adapter O/D: Ø36.4mm
- Length : 1.8M
- Material : EVA
- Color : Silver



## A2 Ø32mm Curved Pipe

- Air flow adjustment
- Length : 283mm
- Material : ABS
- Color : Silver



## A3 Ø32mm Extension Wands

- Length : 385mm
- Material : ABS
- Color : Silver



## A4 Master Nozzle

- Air flow adjustment.
- For dry vacuum cleaner
- Size : L273\*W92 mm
- Material : ABS



## A5 Ø32mm Wet Nozzle

- Air flow adjustment
- For wet vacuum cleaner
- Size : L230\*W50 mm
- Material : ABS



## A6 Ø32mm Crevice Tool

- Material : PP
- Color : Silver
- Length : 202mm



## A7 Ø32mm Round Nozzle


- High : 97 mm
- Material : ABS
- Color : Silver



## Accessory (filter):

### B1 Filter (Circle)

- ★A Type: Paper Filter  
Size: Ø188\*180mm
- ☆B Type: Paper Filter  
Size: Ø188\*110mm
- ☆C Type: HEPA Filter  
Size: Ø188\*180mm




### B2 Cloth Filter

- A Type (for JS150& JS151& JS12SBL &JS15DBL&JS154)
- B Type (for JS101&JS106)
- C Type (for JS220)
- D Type (for 207&P200A)
- E Type (for JS206P& JS203)



### B3 Dust Bag

- For dry vacuum cleaner
- A Type: 124 Dust bag  
(830\*350mm)
- B Type: 3024 Dust bag  
(520\*300mm)
- C Type: 3018 Dust bag  
(770\*260mm)



### B4 Seat Packing



- For wet vacuum cleaner
- For JS220
- Size: 450\*150\*T12mm



### C1 Ø38mm Hose

- Length : 3M
- Material : EVA
- Color : Black



### C2 Ø38mm L-Pipe

- High : 460mm
- Material : ABS
- Color : Black



### C3 Ø38mm Extension Wands

- Length : 500mm
- Material : ABS
- Color : Black



### C4 Ø38mm Master Nozzle

- Size : L400\*W49mm
- Material : ABS
- Color : Black



### C5 Ø38mm Squeegee Shoe

- For Ø38mm Master Nozzle (For wet type)
- Length : 347mm
- Material : PVC
- Color : Blue



### C6 Ø38mm Crevice Tool-A

- For Ø38mm L-Pipe
- Length : 271mm
- Material : PA
- Color : Black



### C7 Ø38mm Round Nozzle

- High : 105mm
- Material : PA
- Color : Black



### C8 Ø51mm Hose set

- For JS654
- Length : 3M
- Material : EVA
- Color : Black



### C9 151 Y- joint Set

- For 50 gallons drum
- Attached 151 Y-join\*1pc & Ø38mm Hose& Ø38mm Adapter\*2pcs
- A. 151 Y-join  
Material: stainless steel
- B. Ø38mm Hose(1.5M)
- C. Ø38mm Adapter  
Adapter I/D: Ø39mm



C


### C10 Ø38mm Hose set

- Attached Ø38mm Hose set\*1pc & Crevice Tool-B\*1pc
- A. Ø38mm Hose set  
Adapter I/D: Ø39mm  
Length : 3M  
Material : EVA  
Color : Black
- B. Ø38mm Crevice Tool-B  
Length : 300mm  
Material : ABS  
Color : Black

B

A

# Centralized Dust Removal Systems



\*We reserve the right to make changes of product specifications and appearance without prior notice.



· Vacuum cleaner for dry.



# Centralized Dust Removal Systems

★:Included Accessory  
☆:Optional Accessory

- Transmission by internet, provide the signal to working system.
- By the internet to check the programs without delay, offer prompt advise services.(Customers must have IP address.)
- Automatically clean filter.
- According to the setting of the work station to start up dual motors.
- Depends on customer's needs, setting time to shake off the dust, blow reversely to clean the filter in order to extend the life span of the filter and keep the max suction power.
- Equipped with pressure release settings to release pipe pressure.
- According to independent work station's demand adjust the motor.
- Reverse valve controlled by digital control module ensure the action correctly.
- Filter cleaning by shaking will not interrupt operation.
- 58 liter stainless container with u-shape rubber sealing prevents dust from leaking.
- With an auto detector, after Vacuum tank returning to its position, pneumatic valves will open and lower the sealing cover.
- With high voltage blow motors, better dust collection, High static pressure, bigger air flow, low noise, and strong suction
- Automatically on, delay switch, and overload protection
- Motor operation time with energy saving design increase life span of motors.
- Decrease environment pollution and improve the cleanness of the factory.
- With high- density filter increase the life of the motors.
- Suitable range: automobile maintenance plant .

## JS1000



Voltage	3P/380V/60Hz
Consumption Power	3700W*2
Air Flow	6.2 m³/min WITH SINGAL MOTOR, 10.5 m³/min WITH DUAL MOTORS
Electric current	15.6A
Max Vacuum	3000 mmH2O
Operating noise (at 3M)	73dB (at 3M)
Drum Capacity	58L
Weight N.W	300kgs
Measurement(LxWxH)	1400x680x2100 (mm)
Number of users	4 persons (in use simultaneously)
Station	☆WORKING ARM ☆WORKING STATION ☆HANGING WORKSTATION-A TYPE ☆CABINET WORKSTATION-A TYPE




\* The stanard model does not includethe fri combination

# Centralized Dust Removal Systems

- Specially designed 【 automatic and manual filtering system 】 to clean filter and improve Filter life circle helps to maintain maximum suction.(On JS654PCB.JS354PCB)
- Specially designed 【 manual filtering system 】 to clean filter and improve Filter life circle helps to maintain maximum suction.(On JS654CCB)
- The automatically starting option on the Host, could set up the shutdown time and automatic filtering .(On JS654PCB.JS354PCB)
- Emergency switch that could cut down all the power supply when need it.
- Barrel with positioning placement point, after the dust door is closed, the barrel group is automatically lowered to secure the close space.
- Equipped with brushless motors 、 Low temperature-rise 、 low-noise-level 、 reliability and durability 、 increased efficiency with a reduction in power input 、 adjustable speed function. (On JS654PCB.JS354PCB)
- Special screening programs for Industrial grade high-density powder, enhance motor life circle.
- Reduce the environmental pollution, improve the cleanliness for factory.
- Offer a massive 58 L stainless steel barrel.
- Suitable range : automobile maintenance plant .

**JS354PCB/JS654PCB/JS654CCB**



\* The stanard model does not includethe frl combination



Model	JS354PCB	JS654PCB	JS654CCB
Voltage	2P/220V/60Hz	2P/220V/60Hz	2P/220~240V/60Hz
Consumption Power	2550W	4250W	4400W
Air Flow	7.5m³/min	12.5m³/min	8.0m³/min
Electric current	12A	20A	20A
Max Vacuum	2000 mmH2O	2000 mmH2O	2150 mmH2O
Operating noise (at 3M)	76dB	76dB	81dB
Drum Capacity	58L	58L	58L
Weight N.W	140kgs	144kgs	140kgs
Measurement(LxWxH)	1100x600x1550(mm)	1100x600x1550(mm)	1100x600x1550(mm)
Filtering System	Automatic and manual	Automatic and manual	Manual
Number Of Users	6 persons Please note that suctions will get lower by increasing users.	10 persons Please note that suctions will get lower by increasing users.	4 persons Please note that suctions will get lower by increasing users.
Station	☆COMPACT WORKING STATION ☆HANGING WORKSTATION-B TYPE ☆CABINET WORKSTATION-B TYPE		☆Compact working station ☆Hanging workstation-B Type ☆Cabinet workstation-B Type

## WORKING ARM

The working arm is the bridge of connecting central vacuum cleaners and grinding tools. Set up the hoses, wires in the arm, far away the ground, offer a dust- free environment and air-clean quality while working.


- Radius 5.5M, circle round 180 degrees.
- Two start- up controls: manual or automatic.
- Special design "The vacuum suction automatic block system", guarantee the suction only supplies in using tools automatically.
- Supply the powerful suction.
  - 1 Working light.
  - 2 Power supply socket \* 3
  - 3 Suction connect \*2
  - 4 Air supply connect \*3
  - 5 Pressure regulators, filter ,manometer, indicator lamp.
  - 6 Urgent power switches.
  - 7 The shelf for hoses and grinding tools .
  - 8 Accessory: Rack for tools and hoses, 2 in 1 Hose\*5M.
  - 9.Suitable range: automobile maintenance plant .



# Pneumatic Vacuum Cleaners

## HANGING WORKSTATION

- Special design in "auto vacuum suction cutout system" ensures the suction supply only for sander in- use to enhance the suction power.
- According to different demands on work station, the station is fitted with auto/manual switch.(on JS1000D)
- Accessory:  
Tool rack set \*1 set & Hose hanger\*2 set & 2 in 1 Hose(8M)\*2 sets.
- A Type(For JS1000D)
- B Type(For JS354PCB.JS654PCB)



\* The stanard model does not includethe frl combination

## WORKING STATION

- Special design in "auto vacuum suction cutout system" ensures the suction supply only for sander in- use to enhance the suction power.
- According to different demands on work station, the station is fitted with auto/manual switch.
- Equipped with air flow adjustment valve and manometer.
- With an emergency power switch.  
(cut off the power in case of anything emergency)
- Accessory: Rack for tools and hoses, 2 in 1 Hose\*5M.  
Throttle valve +Solenoid-valves\*1 set



\* The stanard model does not includethe frl combination



## COMPACT WORKING STATION



- Special design in "auto vacuum suction cutout system" ensures the suction supply only for sander in- use to enhance the suction power.
- Accessory:  
Throttle valve +Solenoïd-valves\*1 set & Hose hanger\*1 pc & 2 in 1 Hose(5M)\*1set

\* The stanard model does not includethe frl combination

## CABINET WORKSTATION

- Special design in "auto vacuum suction cutout system" ensures the suction supply only for sander in- use to enhance the suction power.
- According to different demands on work station, the station is fitted with auto/manual switch.(on JS1000D)
- Accessory:  
Hose hanger-B Type\*2 set &Tool hookset\*2 set &2 in 1 Hose(8M)\*2 set.
- A Type(For JS1000D)
- B Type(For JS354PCB.JS654PCB)



Defender of the  
**earth environment**



We have successively located stainless steel products designing  
& forming factory and motor factory striving for the most perfect and higher quality service.

**JESON  
VACUUM  
CLEANER**

 **KAE DIH ENTERPRISE CO., LTD.**

NO.357, Sec.1, ChengGong Rd., Puyen, 51648  
ChangHua, Taiwan, R.O.C.

TEL : 886-4-8655545 FAX : 886-4-8655471

E-mail : [jeson101@ms9.hinet.net](mailto:jeson101@ms9.hinet.net)

<https://jeson.com.tw>

